

ULR-TC546020000010551F
Test Report No. BLR/F(C)/20/009678
Dated 2020-05-09

Issued To : MILKLANE DAIRY SERVICES PVT LTD
14-187/2
AP Vajravelu Chetty Street,
Kuppam,
Chittoor, Andhra Pradesh,
India - 517425.

Attention : Sidhartha Priyadarshi,

Customer Ref. No. : Test Request form

Sample Particulars

Sample Name : Milklane UHT Milk 500ml

Sample No. : BLR/F(C)/20/009678

Batch No. / Lot No. / Mfg. Date / Best Before Date : Batch No : 20096A1 | Mfg Date : 05 Apr 2020 | Best Before : 90 Days From Manufacture

Sample Package / Quantity : Trade Pack : 500 ml X 4 No

Sampled by : Customer

Sampling Location : Not Applicable

Sampling Protocol : Not Applicable

Sample Condition : Good

Date of Sample Receipt : Received on 2020-04-17

Date of Analysis : 2020-05-06

Date of Completion : 2020-05-09

Report Reviewed By

M. Kavitha

Kavitha M
Report Reviewer

By accepting this document the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt. Ltd. which are available at Company's website at the link -<http://www.tuv-sud.in/in-en/resource-centre/terms-and-conditions>

Note: The test report is electronically generated. Hence original signature is not required. For any technical query, please contact . V G Ramesh at Ramesh.Vg@tuv-sud.in and for any complaint please contact .Karthick Udhayakumar at Karthick.Udhayakumar@tuv-sud.in .

Note : (1) The results relate only to the items tested, (2) the test report shall not be reproduced except in full without the written approval of the laboratory, (3) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (4) For details of the accredited scope, please contact laboratory or accreditation body website.

ULR-TC546020000010551F
Test Report No. BLR/F(C)/20/009678
Dated 2020-05-09

S. NO.	PARAMETERS	TEST RESULT	TEST METHOD
Chemical :			
1	Total Calories,kCal/100 g	59.9	Lab_P_SOP_239
2	Fat,%	3.1	IS 1479 (P2)-1961
3	Protein,(N X 6.38), %	3.1	IS 7219 -1973
4	SNF,%	8.7	990.21, Chapter 33, AOAC 20th Edition
5	Total Carbohydrate,%	4.9	By Difference
Total Residual Antibiotics (as Beta lactum)			
6	Penicillin-G	Absent	Lab_P_SOP_303
7	Ampicillin	Absent	Lab_P_SOP_303
8	Amoxicillin	Absent	Lab_P_SOP_303
9	Cefalexin	Absent	Lab_P_SOP_303
10	Cefalonium	Absent	Lab_P_SOP_303
11	Cefoperazone	Absent	Lab_P_SOP_303
12	Cefapirin	Absent	Lab_P_SOP_303
13	Ceftiofur	Absent	Lab_P_SOP_303
14	Cloxacillin	Absent	Lab_P_SOP_303
15	Dicloxacillin	Absent	Lab_P_SOP_303
16	Oxacillin	Absent	Lab_P_SOP_303
17	Nafcillin	Absent	Lab_P_SOP_303
18	Cefcetrile	Absent	Lab_P_SOP_303
Analytical :			
Aflatoxin			
19	M1,µg / kg	Below Limit of Quantification (LOQ : 0.05)	Lab_P_SOP_235
Metals & Minerals :			
20	Calcium as Ca,mg/100 g	136.2	Lab_P_SOP_36 / AAS

ULR-TC546020000010551F
Test Report No. BLR/F(C)/20/009678
Dated 2020-05-09

S. NO.	PARAMETERS	TEST RESULT	TEST METHOD
21	Sodium as Na,mg/100 g	59.5	Lab_P_SOP_36 / AAS
22	Potassium as K,mg/100 g	123.1	Lab_P_SOP_36 / AAS

Authorised By



B. Manjunath
(Lab Manager)

Authorised By



Kavitha Chethan
(Lab Manager)

- END OF TEST REPORT-

