

Issued to : MILKLANE DAIRY SERVICES PRIVATE LIMITED
,Awfis, Hosur Road, 2nd Floor,
A block, DSU, Kudlu Gate,
Bangalore South,
Bangalore, Karnataka,
India - 560068.

Attention : Manoj Mavila,

Customer Ref. No. : Test Request Form :

Sample Particulars

Sample Name : MilkLane UHT Milk 500ml

Sample No. : BLR/F(C)/21/022568

Batch No. / Lot No. / Mfg. Date / Best Before Date : Batch No. : 21186A2 | Mfg. Date : 05/07/2021 | Best Before : 90 Days from Manufacture

Sample Package / Quantity : Trade Pack : 500 ml X 2 Nos

Sampled by : Customer

Sampling Location : Not Applicable

Sampling Protocol : Not Applicable

Sample Condition : Good

Date of Sample Receipt : 2021-07-16

Date of Analysis : 2021-07-19

Date of Completion : 2021-07-29

Report Reviewed By



Vinutha S.

Report Reviewer

By accepting this document the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt. Ltd. which are available at Company's website at the link- <https://www.tuvsud.com/en-in/terms-and-conditions>
Note: For any technical query, please contact . V G Ramesh at Ramesh.Vg@tuv-sud.in and for any complaint please contact .Madhava Rao Pedada at Pedada.MadhavaRao@tuvsud.com

Note: (1) The results relate only to the items tested, (2) the test report shall not be reproduced except in full without the written approval of the laboratory
(3) For details of the accredited scope, please contact laboratory or accreditation body website

RESULTS

Test Results – Accredited Parameters

Sr. No.	Parameter	Unit	LOQ	Result	Specification	Test Method
Chemical :						
1.	Carbohydrates	g/100 g	-	4.76	Not Specified	IS 1656 : 2007
2.	Protein	(N X 6.38), g/100 g	-	3.3	Not Specified	IS 7219 -1973
3.	Penicillin-G	-	-	Absent	Not Specified	Lab_P_SOP_303
4.	Ampicillin	-	-	Absent	Not Specified	Lab_P_SOP_303
5.	Amoxicillin	-	-	Absent	Not Specified	Lab_P_SOP_303
6.	Cefalexin	-	-	Absent	Not Specified	Lab_P_SOP_303
7.	Cefalonium	-	-	Absent	Not Specified	Lab_P_SOP_303
8.	Cefoperazone	-	-	Absent	Not Specified	Lab_P_SOP_303
9.	Cefapirin	-	-	Absent	Not Specified	Lab_P_SOP_303
10.	Ceftiofur	-	-	Absent	Not Specified	Lab_P_SOP_303
11.	Cloxacillin	-	-	Absent	Not Specified	Lab_P_SOP_303
12.	Dicloxacillin	-	-	Absent	Not Specified	Lab_P_SOP_303
13.	Oxacillin	-	-	Absent	Not Specified	Lab_P_SOP_303
14.	Nafcillin	-	-	Absent	Not Specified	Lab_P_SOP_303
15.	Cefcetirile	-	-	Absent	Not Specified	Lab_P_SOP_303
16.	Total Calories	kCal/100 g	-	60.0	Not Specified	Lab_P_SOP_239
17.	Solids Non Fat	%	-	8.7	Not Specified	990.21, Chapter 33, AOAC 21st Edition
18.	Total Fat	g/100 g	-	3.1	Not Specified	IS 1479 - 2 (1961)
Analytical :						
19.	Aflatoxin M1	µg/kg	0.05	0.1	Max 0.5	Lab_P_SOP_235


Test Results – Non-accredited Parameters

Sr. No.	Parameter	Unit	LOQ	Result	Specification	Test Method
Metals & Minerals :						
20.	Potassium	mg/100g	-	132.0	Not Specified	ICP-OES
21.	Sodium as Na	mg/100g	-	53.0	Not Specified	ICP-OES
22.	Calcium as Ca	mg/100g	-	129.0	Not Specified	ICP-OES

NOTE: Unless otherwise agreed upon, Pass or Fail or Statement of compliance verdicts are given based on the measured values without any considerations of measurement uncertainties. Every test method has a measurement uncertainty which has been evaluated by the laboratory and are available on request. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Remark: The sample conforms to the requirement of Food Safety and Standard Regulation (2011) with respect to above specified test parameters only.

Authorized By



Shweta Naik
(Lab Supervisor)

Authorized By



Ravi Negalur
(Assistant Manager)

Authorized By



Kantharaja G
(Team Leader)

- END OF TEST REPORT -